

February 28, 2014

USEPA (MC: 2254A)
International Compliance Assurance Division
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460

RE: Annual Hazardous Waste Export Report – Year 2013
Facility No. NYD002080034

Dear Sir/Madam:

In accordance with 40 CFR Part 262.56 [6 NYCRR 372.5(f)], please find listed below the annual report for hazardous waste exported during calendar year 2013:

Exporter EPA ID:	NYD002080034
Exporter Facility Name:	MPM Silicones, LLC
Exporter Site Address:	260 Hudson River Road Waterford, NY 12188
Exporter Mailing Address:	MS 19/32 260 Hudson River Road Waterford, NY 12188
Calendar Year Covered by This Report:	2013
Name and Address of Each Consignee:	Stablex Canada 760 Industrial Blvd. Blainville, Quebec Canada
	St. Marys Cement 585 Water Street South St. Marys, Ontario Canada N4X 1B6
Material Shipped By Consignee:	Stablex – Blainville, Quebec:
Description of Hazardous Waste:	Wastewater Treatment Plant Sludge
EPA Hazardous Waste Numbers:	F002, F003, F005, F039
DOT Hazard Class:	9
EPA ID Numbers of Transporters Used:	MIK621327675
Total Tons Shipped per Notification 007352/6E/13:	1812.21
Total Shipments per Notification 007352/6E/13:	73
	Stablex – Blainville, Quebec:
Description of Hazardous Waste:	Incinerator Clinker
EPA Hazardous Waste Numbers:	F002, F003, F005, F039
DOT Hazard Class:	9

received
SDN 3/6/2014

EPA ID Numbers of Transporters Used:	MIK621327675
Total Tons Shipped per Notification 005277/7E/12:	345.6
Total Shipments per Notification 005277/7E/12:	18
Total Tons Shipped per Notification 005277/7E/12:	204.05
Total Shipments per Notification 005277/7E/12:	11
	St. Mary's – St. Mary's, Ontario:
Description of Hazardous Waste:	Wastewater Treatment Plant Sludge
EPA Hazardous Waste Numbers:	F002, F003, F005, F039
DOT Hazard Class:	9
EPA ID Numbers of Transporters Used:	MIK621327675
Total Tons Shipped per Notification 004608/4E/12:	6791.27
Total Shipments per Notification 004608/4E/12:	251
Total Tons Shipped per Notification 006728/3E/13:	14212.26
Total Shipments per Notification 006728/3E/13:	502

Efforts to Reduce the Volume and Toxicity of the Waste Generated:

This waste is hazardous by application of 40 CFR 261.3(c)(2)(i). The sludge generated from our facility contains 40% – 65% silica and calcium, which are necessary raw materials for cement manufacturing. The St. Mary's facility uses this material as a raw material in their cement manufacturing process. Therefore, the material has a beneficial use as opposed to land filling.

Efforts to reduce the volume of the originally generated wastes prior to incineration are reported in the facility Hazardous Waste Reduction Plan that will be updated by July 1, 2014 in accordance with New York regulations and the facility Hazardous Waste Management Permit. Data is not available prior to 1984 for comparison.

Certification:

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted

information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Please feel free to contact me at 518-233-3536 if you have any questions.

Sincerely,

A handwritten signature in dark ink, appearing to read "Chris Homicz", with a long horizontal flourish extending to the right.

Christopher Homicz, CHMM
Hazardous Waste Program Leader, Operations

cc: Regulatory Development Section, NYSDEC
W. Collins/MPM
J. Buhmann/MPM

MOMENTIVE™

Momentive Performance Materials Inc.
260 Hudson River Rd
Waterford, NY 12188
momentive.com



U.S. POSTAGE >> PITNEY BOWES

ZIP 12188 \$ 000.48⁰
02 1W
0001368397 FEB 28 2014


MAR 05 2014

U.S. MAIL MC 275 A
International Comptroler - Assu and - 01 310
1220 Seneca Valley Road - 0117
01110000 010 010 010



FCL 20167671

20460



hph